



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 5, 1997

Daniel and Lola Laney
2339 Summit Lake Shore Road NW
Olympia, Washington 98502-9456

Dear Mr. and Mrs. Laney:

Re: Surface Water Permit No. S2-29133

We are in the process of updating our records and it has come to our attention you have not submitted a beginning of construction form for your project.

If the work has been started on your project, please complete the enclosed form. If not, you must request an extension of time to begin your project. Please submit a statutory extension fee of \$5.00 per year payable to the Department of Ecology along with the request to extend your permit.

By statute, projects under permit must be pursued with diligence, and good cause for granting an extension must be shown. A report of progress made during the past year must be included with your request for extension.

If you have any questions regarding this matter, please call me in Olympia at (360) 407-0240.

Sincerely,

Sheri Carroll
Shorelands & Water Resources

SC:th
Enclosure





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (206) 407-6300

September 11, 1995

Daniel and Lola Laney
2339 Summit Lake Road NW
Olympia, Washington 98502-9456

Dear Mr. and Mrs. Laney:

Re: Surface Water Permit No's. S 2-29133 and S2-29134

Enclosed are Permit No's. S 2-29133 and S2-29134, together with a form for filing Notice of Beginning of Construction when the work is started. If you cannot start your project by July 1, 1996, you must contact this office.

Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,

Gale Blomstrom
Shorelands & Water Resources Supervisor
Southwest Regional Office

th(permit1)
closure





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (206) 407-6300

July 19, 1995

Daniel and Lola Laney
2339 Summit Lake Shore Road NW
Olympia, Washington 98502-9434

Dear Mr. and Mrs. Laney:

Re: Surface Water Permit No's. S 2-29133 and S 2-29134

Your applications has been approved. A permit will be issued after the required 30-day appeal period and upon payment of the statutory fee. Enclosed is the Report of Examination summarizing our findings and recommendations.

Issuance of this permit is an appealable decision under Chapter 43.21B Revised Code of Washington. To submit an appeal, contact the Pollution Control Hearings Board of Washington, within 30 days of receiving this letter. A copy of the appeal should also be sent to the Director of the Department of Ecology. Procedures for requesting a hearing may be obtained from this department.

Please send your permit fee of \$5.00 for each permit within 30 days. Make your check payable to the Department of Ecology.

Sincerely,

A handwritten signature in cursive script, reading "Gale Blomstrom", is written above the typed name.

Gale Blomstrom
Water Resources Supervisor
Southwest Regional Office

GB:th(exam2)
Enclosure

